

Checklist for an MRI examination

The strong magnetic field in and around the scanner can be harmful to some metal objects that can be found in your body. Please, carefully read and complete the following checklist before your appointment.

Do you have metal (splinters), particularly in or around your eyes, due to (previously) working in the metal industry or shrapnel or bullet wounds in	<input type="radio"/> Yes <input type="radio"/> No
Do you have a pacemaker, pacemaker leads or a defibrillator (ICD) in your heart?	<input type="radio"/> Yes <input type="radio"/> No
Do you have magnetic dental implants?	<input type="radio"/> Yes <input type="radio"/> No
Do you have aneurysm clips in blood vessels in your head?	<input type="radio"/> Yes <input type="radio"/> No
Are you, or think you could be, pregnant?	<input type="radio"/> Yes <input type="radio"/> No
Do you have an inner ear implant/bladder stimulator/insulinpump/neuro stimulator/Baclofen pump?	<input type="radio"/> Yes <input type="radio"/> No
Do you have a metal tissue expander for breast reconstruction?	<input type="radio"/> Yes <input type="radio"/> No
Do you have an electronic Cochlear Implant device?	<input type="radio"/> Yes <input type="radio"/> No
For MRI examinations of the head and neck: do you have a metal dental brace?	<input type="radio"/> Yes <input type="radio"/> No
Do you have reduced kidney function?	<input type="radio"/> Yes <input type="radio"/> No
Have you had a previous allergic reaction to MRI contrast agents	<input type="radio"/> Yes <input type="radio"/> No
Are there any other metal foreign objects in your body?	<input type="radio"/> Yes <input type="radio"/> No

What is your weight? _____ kg / What is your height? _____ M

If you have answered 'YES' to one or more of the above questions, please contact the Radiology department tel: (+31) 24-3614529 It may be necessary to arrange an alternative examination.

Have you answered all the questions with 'NO'?

Please give the completed and signed checklist to the receptionist when you arrive for your appointment.

Medication Plasters/Patches

Do you use a plaster or patch called Rotigotine/Neupro? This contains aluminium and must be removed before your examination. You may apply a new plaster after your examination.

NOTE: credit/bank cards, hearing aids, mobile phones and watches are damaged when close to the strong magnetic field. You may not take them with you into the examination room.

Name + date of birth _____

Date and signature _____