

NEUROPATHIES GENE PANEL DG 2.14 (96 genes)

<i>Gene</i>	<i>Median Coverage</i>	<i>% covered > 10x</i>	<i>% covered > 20x</i>	<i>Associated Phenotype description and OMIM disease ID</i>
AARS	124.3	100	99.6	Charcot-Marie-Tooth disease, axonal, type 2N, 613287 Epileptic encephalopathy, early infantile, 29, 616339
ABHD12	107	97.3	88	Polyneuropathy, hearing loss, ataxia, retinitis pigmentosa, and cataract, 612674
AIFM1	106.2	100	99.7	Combined oxidative phosphorylation deficiency 6, 300816 Cowchock syndrome, 310490 Deafness, X-linked 5, 300614
ARHGEF10	132.8	99.8	98	?Slowed nerve conduction velocity, AD, 608236
ATL1	161	99.7	97.9	Neuropathy, hereditary sensory, type ID, 613708 Spastic paraparesis 3A, autosomal dominant, 182600
ATL3	125	98.1	93.8	Neuropathy, hereditary sensory, type IF, 615632
ATP7A	133.2	99.7	97.8	Menkes disease, 309400 Occipital horn syndrome, 304150 Spinal muscular atrophy, distal, X-linked 3, 300489
BSCL2	113.5	100	100	Encephalopathy, progressive, with or without lipodystrophy, 615924 Lipodystrophy, congenital generalized, type 2, 269700 Neuropathy, distal hereditary motor, type VA, 600794 Silver spastic paraparesis syndrome, 270685
CCT5	164.5	99.9	99.1	Neuropathy, hereditary sensory, with spastic paraparesis, 256840
COX6A1	180.6	100	99.4	Charcot-Marie-Tooth disease, recessive intermediate D, 616039
CTDP1	105	86.6	83.6	Congenital cataracts, facial dysmorphism, and neuropathy, 604168
DCAF8	124.3	100	99.9	?Giant axonal neuropathy 2, autosomal dominant, 610100
DCTN1	131.6	99.7	98.3	Neuropathy, distal hereditary motor, type VIIIB, 607641 Perry syndrome, 168605 {Amyotrophic lateral sclerosis, susceptibility to}, 105400
DHH	117.7	100	100	46XY partial gonadal dysgenesis, with minifascicular neuropathy, 607080 46XY sex reversal 7, 233420
DHTKD1	141	99.6	98.2	2-amino adipic 2-oxoadipic aciduria, 204750 ?Charcot-Marie-Tooth disease, axonal, type 2Q, 615025
DNAJB2	102	100	100	Spinal muscular atrophy, distal, autosomal recessive, 5, 614881

DNM2	127.4	97.5	94.4	Centronuclear myopathy 1, 160150 Charcot-Marie-Tooth disease, axonal type 2M, 606482 Charcot-Marie-Tooth disease, dominant intermediate B, 606482 Lethal congenital contracture syndrome 5, 615368
DNMT1	113.4	99.2	98.3	Cerebellar ataxia, deafness, and narcolepsy, autosomal dominant, 604121 Neuropathy, hereditary sensory, type IE, 614116
DYNC1H1	179.8	100	99.6	Charcot-Marie-Tooth disease, axonal, type 20, 614228 Mental retardation, autosomal dominant 13, 614563 Spinal muscular atrophy, lower extremity-predominant 1, AD, 158600
EGR2	124.4	100	100	Charcot-Marie-Tooth disease, type 1D, 607678 Dejerine-Sottas disease, 145900 Neuropathy, congenital hypomyelinating, 1, 605253
ELP1	142.6	99.7	98.1	Dysautonomia, familial, 223900
EXOSC8	80.1	91.8	76.9	Pontocerebellar hypoplasia, type 1C, 616081
FBLN5	119.6	91.8	91.1	Cutis laxa, autosomal dominant 2, 614434 Cutis laxa, autosomal recessive, type IA, 219100 Macular degeneration, age-related, 3, 608895 Neuropathy, hereditary, with or without age-related macular degeneration, 608895
FGD4	111.9	99.3	97.3	Charcot-Marie-Tooth disease, type 4H, 609311
FIG4	154.9	99.8	98.4	?Polymicrogyria, bilateral temporooccipital, 612691 Amyotrophic lateral sclerosis 11, 612577 Charcot-Marie-Tooth disease, type 4J, 611228 Yunis-Varon syndrome, 216340
FLVCR1	139.5	99.2	95.8	Ataxia, posterior column, with retinitis pigmentosa, 609033
GAN	190	100	99.9	Giant axonal neuropathy-1, 256850
GARS	125.7	99.9	98.5	Charcot-Marie-Tooth disease, type 2D, 601472 Neuropathy, distal hereditary motor, type VA, 600794
GDAP1	163.1	99.3	96.1	Charcot-Marie-Tooth disease, axonal, type 2K, 607831 Charcot-Marie-Tooth disease, axonal, with vocal cord paresis, 607706 Charcot-Marie-Tooth disease, recessive intermediate, A, 608340 Charcot-Marie-Tooth disease, type 4A, 214400
GJB1	229.8	100	99.8	Charcot-Marie-Tooth neuropathy, X-linked dominant, 1, 302800
GJB3	308.9	100	100	Deafness, autosomal dominant 2B, 612644 Deafness, autosomal dominant, with peripheral neuropathy, 0 Deafness, autosomal recessive, 0

				Deafness, digenic, GJB2/GJB3, 220290 Erythrokeratoderma variabilis et progressiva 1, 133200
GNB4	152.6	100	99.7	Charcot-Marie-Tooth disease, dominant intermediate F, 615185
HARS	159.4	100	100	Charcot-Marie-Tooth disease, axonal, type 2W, 616625 Usher syndrome type 3B, 614504
HINT1	60	98.5	88	Neuromyotonia and axonal neuropathy, autosomal recessive, 137200
HOXD10	137.7	100	99.8	Charcot-Marie-Tooth disease, foot deformity of, 192950 Vertical talus, congenital, 192950
HSPB1	39.7	93.7	81.8	Charcot-Marie-Tooth disease, axonal, type 2F, 606595 Neuropathy, distal hereditary motor, type IIB, 608634
HSPB3	290.9	100	100	?Neuronopathy, distal hereditary motor, type IIC, 613376
HSPB8	156.4	100	100	Charcot-Marie-Tooth disease, axonal, type 2L, 608673 Neuropathy, distal hereditary motor, type IIA, 158590
IGHMBP2	107.8	99.3	96	Charcot-Marie-Tooth disease, axonal, type 2S, 616155 Neuronopathy, distal hereditary motor, type VI, 604320
INF2	79.2	84.1	81.1	Charcot-Marie-Tooth disease, dominant intermediate E, 614455 Glomerulosclerosis, focal segmental, 5, 613237
KARS	122.6	100	99.3	?Charcot-Marie-Tooth disease, recessive intermediate, B, 613641 Deafness, autosomal recessive 89, 613916
KIF1A	114	99.2	96.1	Mental retardation, autosomal dominant 9, 614255 Neuropathy, hereditary sensory, type IIC, 614213 Spastic paraparesis 30, autosomal recessive, 610357
KIF1B	154.8	100	99.5	?Charcot-Marie-Tooth disease, type 2A1, 118210 Pheochromocytoma, 171300 {Neuroblastoma, susceptibility to, 1}, 256700
KIF5A	136.1	100	99.9	Myoclonus, intractable, neonatal, 617235 Spastic paraparesis 10, autosomal dominant, 604187 {Amyotrophic lateral sclerosis, susceptibility to, 25}, 617921
LITAF	126.3	94.8	91.5	Charcot-Marie-Tooth disease, type 1C, 601098
LMNA	89.2	97.9	91.3	cardiomyopathy, dilated, 1A, 115200 Charcot-Marie-Tooth disease, type 2B1, 605588 Emery-Dreifuss muscular dystrophy 2, AD, 181350 Emery-Dreifuss muscular dystrophy 3, AR, 616516 Heart-hand syndrome, Slovenian type, 610140 Hutchinson-Gilford progeria, 176670

				Lipodystrophy, familial partial, type 2, 151660 Malouf syndrome, 212112 Mandibuloacral dysplasia, 248370 Muscular dystrophy, congenital, 613205 Muscular dystrophy, limb-girdle, type 1B, 159001 Restrictive dermopathy, lethal, 275210
LRSAM1	130.4	100	99.7	Charcot-Marie-Tooth disease, axonal, type 2P, 614436
MARS	125.2	99.7	97.3	Charcot-Marie-Tooth disease, axonal, type 2U, 616280 Interstitial lung and liver disease, 615486
MED25	103.9	99.1	95.7	?Charcot-Marie-Tooth disease, type 2B2, 605589 Basel-Vanagait-Smirin-Yosef syndrome, 616449
MFN2	150.6	100	99.9	Charcot-Marie-Tooth disease, axonal, type 2A2A, 609260 Charcot-Marie-Tooth disease, axonal, type 2A2B, 617087 Hereditary motor and sensory neuropathy VIA, 601152
MME	101.1	98.2	93.6	?Spinocerebellar ataxia 43, 617018 Charcot-Marie-Tooth disease, axonal, type 2T, 617017
MPZ	123.4	100	99.3	Charcot-Marie-Tooth disease, dominant intermediate D, 607791 Charcot-Marie-Tooth disease, type 1B, 118200 Charcot-Marie-Tooth disease, type 2I, 607677 Charcot-Marie-Tooth disease, type 2J, 607736 Dejerine-Sottas disease, 145900 Neuropathy, congenital hypomyelinating, 605253 Roussy-Levy syndrome, 180800
MTMR2	106.6	100	99.2	Charcot-Marie-Tooth disease, type 4B1, 601382
MYH14	102	97.7	91.5	?Peripheral neuropathy, myopathy, hoarseness, and hearing loss, 614369 Deafness, autosomal dominant 4A, 600652
NDRG1	128.4	99.9	98.8	Charcot-Marie-Tooth disease, type 4D, 601455
NEFL	164.6	99.7	98.1	Charcot-Marie-Tooth disease, dominant intermediate G, 617882 Charcot-Marie-Tooth disease, type 1F, 607734 Charcot-Marie-Tooth disease, type 2E, 607684
NGF	257.6	100	100	Neuropathy, hereditary sensory and autonomic, type V, 608654
NTRK1	130.6	99.7	97.7	Insensitivity to pain, congenital, with anhidrosis, 256800 Medullary thyroid carcinoma, familial, 155240
PDK3	105.1	96.4	94.3	?Charcot-Marie-Tooth disease, X-linked dominant, 6, 300905
PHYH	74.6	97.5	90.8	Refsum disease, 266500

PLEKHG5	86.9	96.2	89	Charcot-Marie-Tooth disease, recessive intermediate C, 615376 Spinal muscular atrophy, distal, autosomal recessive, 4, 611067
PMP22	111.2	96.7	91.9	?Neuropathy, inflammatory demyelinating, 139393 Charcot-Marie-Tooth disease, type 1A, 118220 Charcot-Marie-Tooth disease, type 1E, 118300 Dejerine-Sottas disease, 145900 Neuropathy, recurrent, with pressure palsies, 162500 Roussy-Levy syndrome, 180800
PRPS1	149.5	100	100	Arts syndrome, 301835 Charcot-Marie-Tooth disease, X-linked recessive, 5, 311070 Deafness, X-linked 1, 304500 Gout, PRPS-related, 300661 Phosphoribosylpyrophosphate synthetase superactivity, 300661
PRX	115.6	99.8	98.3	Charcot-Marie-Tooth disease, type 4F, 614895 Dejerine-Sottas disease, 145900
PSAP	114.4	99.9	99	Combined SAP deficiency, 611721 Gaucher disease, atypical, 610539 Krabbe disease, atypical, 611722 Metachromatic leukodystrophy due to SAP-b deficiency, 249900
RAB7A	157.9	100	100	Charcot-Marie-Tooth disease, type 2B, 600882
REEP1	78.3	76.3	75.7	?Neuronopathy, distal hereditary motor, type VB, 614751 Spastic paraparesis 31, autosomal dominant, 610250
RETREG1	126.1	95.6	90.1	Neuropathy, hereditary sensory and autonomic, type IIB, 613115
SBF1	107.9	98.5	96.5	Charcot-Marie-Tooth disease, type 4B3, 615284
SBF2	117	99.6	96.8	Charcot-Marie-Tooth disease, type 4B2, 604563
SCN10A	165.3	100	99.5	Episodic pain syndrome, familial, 2, 615551
SCN11A	138.1	99.2	97.6	Episodic pain syndrome, familial, 3, 615552 Neuropathy, hereditary sensory and autonomic, type VII, 615548
SCN9A	146.5	98.5	97	Epilepsy, generalized, with febrile seizures plus, type 7, 613863 Erythermalgia, primary, 133020 Febrile seizures, familial, 3B, 613863 HSAN2D, autosomal recessive, 243000 Insensitivity to pain, congenital, 243000 Paroxysmal extreme pain disorder, 167400 Small fiber neuropathy, 133020

				{Dravet syndrome, modifier of}, 607208
SEPT9	118.7	99.7	96.8	Amyotrophy, hereditary neuralgic, 162100 Leukemia, acute myeloid, therapy-related, 0 Ovarian carcinoma, 0
SETX	163.2	99.9	99.1	Amyotrophic lateral sclerosis 4, juvenile, 602433 Spinocerebellar ataxia, autosomal recessive 1, 606002
SH3TC2	121.3	100	99.7	Charcot-Marie-Tooth disease, type 4C, 601596 Mononeuropathy of the median nerve, mild, 613353
SLC12A6	141.8	100	99.9	Agenesis of the corpus callosum with peripheral neuropathy, 218000
SLC25A46	205.7	95.9	87.3	Neuropathy, hereditary motor and sensory, type VIB, 616505
SLC52A2	177.6	100	100	Brown-Vialetto-Van Laere syndrome 2, 614707
SLC52A3	119.6	100	100	?Fazio-Londe disease, 211500 Brown-Vialetto-Van Laere syndrome 1, 211530
SLC5A7	117.1	100	99.9	Myasthenic syndrome, congenital, 20, presynaptic, 617143 Neuronopathy, distal hereditary motor, type VIIA, 158580
SMN1	112.7	99.8	96.5	Spinal muscular atrophy-1, 253300 Spinal muscular atrophy-2, 253550 Spinal muscular atrophy-3, 253400 Spinal muscular atrophy-4, 271150
SOX10	65.8	98.2	91.3	PCWH syndrome, 609136 Waardenburg syndrome, type 2E, with or without neurologic involvement, 611584 Waardenburg syndrome, type 4C, 613266
SPTLC1	115.5	99	93.9	Neuropathy, hereditary sensory and autonomic, type IA, 162400
SPTLC2	160.2	100	100	Neuropathy, hereditary sensory and autonomic, type IC, 613640
SURF1	96.2	88.3	88.3	Charcot-Marie-Tooth disease, type 4K, 616684 Leigh syndrome, due to COX IV deficiency, 256000
SYT2	101.3	100	99	Myasthenic syndrome, congenital, 7, presynaptic, 616040
TDP1	122.9	98.7	95.3	Spinocerebellar ataxia, autosomal recessive with axonal neuropathy, 607250
TFG	121.5	93.9	90.7	?Spastic paraparesis 57, autosomal recessive, 615658 Hereditary motor and sensory neuropathy, Okinawa type, 604484
TRIM2	157.7	93.6	91.4	Charcot-Marie-Tooth disease, type 2R, 615490
TRPV4	172.4	99.5	98.7	?Avascular necrosis of femoral head, primary, 2, 617383 Brachyolmia type 3, 113500 Digital arthropathy-brachydactyly, familial, 606835

				Hereditary motor and sensory neuropathy, type IIC, 606071 Metatropic dysplasia, 156530 Parastremmatic dwarfism, 168400 Scapuloperoneal spinal muscular atrophy, 181405 SED, Maroteaux type, 184095 Spinal muscular atrophy, distal, congenital nonprogressive, 600175 Spondylometaphyseal dysplasia, Kozlowski type, 184252 [Sodium serum level QTL 1], 613508
TTR	152.3	94.6	94.6	Amyloidosis, hereditary, transthyretin-related, 105210 Carpal tunnel syndrome, familial, 115430 [Dystransthyretinemic hyperthyroxinemia], 145680
TWNK	178.8	100	100	Mitochondrial DNA depletion syndrome 7 (hepatocerebral type), 271245 Perrault syndrome 5, 616138 Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 3, 609286
VCP	144.8	99.9	99.5	Amyotrophic lateral sclerosis 14, with or without frontotemporal dementia, 613954 Charcot-Marie-Tooth disease, type 2Y, 616687 Inclusion body myopathy with early-onset Paget disease and frontotemporal dementia 1, 167320
WNK1	167.7	99.9	99.5	Neuropathy, hereditary sensory and autonomic, type II, 201300 Pseudohypoaldosteronism, type IIC, 614492
YARS	122.4	100	100	Charcot-Marie-Tooth disease, dominant intermediate C, 608323

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan;43(Database issue):D1079-85.

Median Coverage describes the average number of reads seen across 50 exomes.

% Covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x.

% Covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x.

Genes with Median Coverage and % Covered 10x/20x denoting NC are non-coding genes for which coverage statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : September 11th, 2018.

This list is accurate for panel version DG 2.14

Ad 1. "No OMIM phenotype" signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors